

Safety Data Sheet

according to 1907/2006/EC, Article 31

Page 1/7

Printing date 19.02.2008

Product details	
Trade name:	6606 Osmo Gard Clean
Application of the substance /	/ the
preparation	Surface cleanser
	Surface active agent
Manufacturer/Supplier:	Osmo Holz und Color GmbH & Co. KG
	Affhüppen Esch 12
	D-48231 Warendorf
Further information obtainal	ble
from:	Product safety department
	Phone: +49 (0) 251 / 692 - 188
	Fax: +49 (0) 251 / 692 - 462
	e-mail: helmut.starp@osmo.de
Information in case of	
emergency:	emergency phone no. Berlin (24h): +49 (0) 30 / 19240
Hazards identification	
	Xi Irritant
Hazards identification Hazard description:	
Hazards identification Hazard description: Information concerning	Xi Irritant N Dangerous for the environment
Hazards identification Hazard description: Information concerning particular hazards for human	Xi Irritant N Dangerous for the environment
Hazards identification Hazard description: Information concerning	Xi Irritant N Dangerous for the environment and The product has to be labelled due to the calculation procedure of the "Gene
Hazards identification Hazard description: Information concerning particular hazards for human	Xi Irritant N Dangerous for the environment and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version.
Hazards identification Hazard description: Information concerning particular hazards for human	Xi Irritant N Dangerous for the environment <i>n and</i> The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin.
Hazards identification Hazard description: Information concerning particular hazards for human	Xi Irritant N Dangerous for the environment <i>n</i> and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin. R 50 Very toxic to aquatic organisms.
Hazards identification Hazard description: Information concerning particular hazards for human environment:	Xi Irritant N Dangerous for the environment and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin. R 50 Very toxic to aquatic organisms. To avoid risks for humans and environment obtain instructions.
Hazards identification Hazard description: Information concerning particular hazards for human	Xi Irritant N Dangerous for the environment <i>n</i> and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin. R 50 Very toxic to aquatic organisms.
Hazards identification Hazard description: Information concerning particular hazards for human environment:	Xi Irritant N Dangerous for the environment and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin. R 50 Very toxic to aquatic organisms. To avoid risks for humans and environment obtain instructions. The classification is according to the latest editions of the EU-lists, and extended
Hazards identification Hazard description: Information concerning particular hazards for human environment: Classification system:	Xi Irritant N Dangerous for the environment and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin. R 50 Very toxic to aquatic organisms. To avoid risks for humans and environment obtain instructions. The classification is according to the latest editions of the EU-lists, and extended company and literature data.
Hazards identification Hazard description: Information concerning particular hazards for human environment: Classification system:	Xi Irritant N Dangerous for the environment and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin. R 50 Very toxic to aquatic organisms. To avoid risks for humans and environment obtain instructions. The classification is according to the latest editions of the EU-lists, and extended company and literature data. The product does not contain any organic halogen compounds (AOX), nitrates, here
Hazards identification Hazard description: Information concerning particular hazards for human environment: Classification system:	Xi Irritant N Dangerous for the environment and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin. R 50 Very toxic to aquatic organisms. To avoid risks for humans and environment obtain instructions. The classification is according to the latest editions of the EU-lists, and extended company and literature data. The product does not contain any organic halogen compounds (AOX), nitrates, hea metal compounds or formaldehydes.
Hazards identification Hazard description: Information concerning particular hazards for human environment: Classification system: Additional information:	Xi Irritant N Dangerous for the environment and The product has to be labelled due to the calculation procedure of the "Gene Classification guideline for preparations of the EU" in the latest valid version. R 36/38 Irritating to eyes and skin. R 50 Very toxic to aquatic organisms. To avoid risks for humans and environment obtain instructions. The classification is according to the latest editions of the EU-lists, and extended company and literature data. The product does not contain any organic halogen compounds (AOX), nitrates, hea metal compounds or formaldehydes.

Dangerous components:		
CAS: 68424-85-1	N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid	2.5-10%
EINECS: 270-325-2	C, Xn, N; R 21/22-34-50	
CAS: 162063-19-6	C13-C15 Oxalalkoholethersulfat, Na-Salz	≤ 2.5%
NLP: 500-675-6	Xi; R 36/38	
	(Cont	td. on page 2)



Page 2/7

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2008

	(Contd. of page
Regulation (EC) No 648/2004 on a	detergents / Labelling for contents
cationic surfactants	5 - 159
anionic surfactants	< 5%
Additional information:	For the wording of the listed risk phrases refer to section 16.
4 First aid measures	
General information:	Immediately remove any clothing soiled by the product.
After inhalation:	Supply fresh air. If required, provide artificial respiration. Keep patient warm. Considector if symptoms persist.
A. C	In case of unconsciousness place patient stably in side position for transportation.
After skin contact:	Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.
After eye contact:	Rinse opened eye for several minutes under running water. If symptoms persist, cons a doctor.
After swallowing:	If swallowed, seek medical advice immediately and show this container or label.
	foam.
For safety reasons unsuitable extinguishing agents:	Water with full jet
For safety reasons unsuitable extinguishing agents: Protective equipment:	
extinguishing agents:	Water with full jet
extinguishing agents: Protective equipment: 6 Accidental release measures	Water with full jet
extinguishing agents: Protective equipment: S Accidental release measures Person-related safety precautions:	Water with full jet Mouth respiratory protective device. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system.
extinguishing agents: Protective equipment: S Accidental release measures Person-related safety precautions: Measures for environmental protection:	Water with full jet Mouth respiratory protective device. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
extinguishing agents: Protective equipment: S Accidental release measures Person-related safety precautions: Measures for environmental protection:	Water with full jet Mouth respiratory protective device. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
extinguishing agents: Protective equipment: S Accidental release measures Person-related safety precautions: Measures for environmental protection:	Water with full jet Mouth respiratory protective device. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binder
extinguishing agents: Protective equipment: Accidental release measures Person-related safety precautions: Measures for environmental protection: Measures for cleaning/collecting:	Water with full jet Mouth respiratory protective device. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binde sawdust).
extinguishing agents: Protective equipment: 6 Accidental release measures Person-related safety precautions: Measures for environmental protection: Measures for cleaning/collecting: 7 Handling and storage Handling:	Water with full jet Mouth respiratory protective device. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binde sawdust).
extinguishing agents: Protective equipment: 5 Accidental release measures Person-related safety precautions: Measures for environmental protection: Measures for cleaning/collecting: 7 Handling and storage	Water with full jet Mouth respiratory protective device. Wear protective equipment. Keep unprotected persons away. Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water. Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders sawdust).

OSMO®

Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2008

	(Contd. of page
Information about fire - and	
explosion protection:	No special measures required.
Storage:	
Requirements to be met by	
storerooms and receptacles:	No special requirements.
Information about storage in or	
common storage facility:	Not required.
Further information about	
storage conditions:	Keep container tightly sealed.
Exposure controls/persone	al protection
Additional information about	
Additional information about design of technical facilities:	No further data; see item 7.
uesign of rechnical facilities.	No futurei data, see fielin 7.
-	at require monitoring at the workplace:
-	ny relevant quantities of materials with critical values that have to be monitored at
workplace.	
Additional information:	The lists valid during the making were used as basis.
Personal protective equipment:	
General protective and hygienic	
measures:	Keep away from foodstuffs, beverages and feed.
	Immediately remove all soiled and contaminated clothing
	Wash hands before breaks and at the end of work.
	Do not inhale gases / fumes / aerosols.
	Avoid contact with the eyes and skin.
Respiratory protection:	Use suitable respiratory protective device only when aerosol or mist is formed.
Protection of hands:	Protective gloves
v	The glove material has to be impermeable and resistant to the product/ the substand
	the preparation.
	Selection of the glove material on consideration of the penetration times, rates
	diffusion and the degradation
Material of gloves	Nitrile rubber, NBR
	<i>ial</i> The exact break trough time has to be found out by the manufacturer of the protection
0, 800,0 1000	gloves and has to be observed.
Eye protection:	Tightly sealed goggles
Physical and chemical pro	perties
General Information	
Form:	Fluid



Page 4/7

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 19.02.2008

de name: 6606 Osmo Gard Clean	
	(Contd. of pa
Colour:	Green
Odour:	Characteristic
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100°C
Flash point:	Not applicable.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapour pressure at 20°C:	23 hPa
Density at 20°C:	0.999 g/cm ³
Solubility in / Miscibility with	
water:	Fully miscible.
pH-value at 20°C:	7
Viscosity:	
Dynamic at 20°C:	23 mPas
Stability and reactivity	
Stability and reactivity Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions	
Stability and reactivity Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous decomposition products:	No decomposition if used according to specifications. No dangerous reactions known.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous decomposition products: Toxicological information	No decomposition if used according to specifications. No dangerous reactions known.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous decomposition products: Toxicological information Acute toxicity:	No decomposition if used according to specifications. No dangerous reactions known. No dangerous decomposition products known.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous decomposition products: Toxicological information Acute toxicity: LD/LC50 values relevant for class	No decomposition if used according to specifications. No dangerous reactions known. No dangerous decomposition products known.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous decomposition products: Toxicological information Acute toxicity: LD/LC50 values relevant for class 68424-85-1 N-Alkyl - (C12-16) -	No decomposition if used according to specifications. No dangerous reactions known. No dangerous decomposition products known.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous decomposition products: Toxicological information Acute toxicity: LD/LC50 values relevant for class 68424-85-1 N-Alkyl - (C12-16) - Oral LD50 600 mg/kg (rat)	No decomposition if used according to specifications. No dangerous reactions known. No dangerous decomposition products known.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous reactions Dangerous decomposition products: Toxicological information Acute toxicity: LD/LC50 values relevant for class 68424-85-1 N-Alkyl - (C12-16) - Oral LD50 600 mg/kg (rat) Dermal LD50 1560 mg/kg (rat)	No decomposition if used according to specifications. No dangerous reactions known. No dangerous decomposition products known.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous decomposition products: Toxicological information Acute toxicity: LD/LC50 values relevant for class 68424-85-1 N-Alkyl - (C12-16) - Oral LD50 600 mg/kg (rat) Dermal LD50 1560 mg/kg (rat) Primary irritant effect:	No decomposition if used according to specifications. No dangerous reactions known. No dangerous decomposition products known. ssification: N-benzyl - N,N - dimethyl ammonium chlorid
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous reactions Dangerous decomposition products: Toxicological information Acute toxicity: LD/LC50 values relevant for class 68424-85-1 N-Alkyl - (C12-16) - Oral LD50 600 mg/kg (rat) Dermal LD50 1560 mg/kg (rat) Primary irritant effect: on the skin:	No decomposition if used according to specifications. No dangerous reactions known. No dangerous decomposition products known. ssification: N-benzyl - N,N - dimethyl ammonium chlorid Irritant to skin and mucous membranes.
Stability and reactivity Thermal decomposition / conditions to be avoided: Dangerous reactions Dangerous decomposition products: Toxicological information Acute toxicity: LD/LC50 values relevant for class 68424-85-1 N-Alkyl - (C12-16) - Oral LD50 600 mg/kg (rat) Dermal LD50 1560 mg/kg (rat) Primary irritant effect:	No decomposition if used according to specifications. No dangerous reactions known. No dangerous decomposition products known. ssification: N-benzyl - N,N - dimethyl ammonium chlorid



Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 19.02.2008

Revision: 18.02.2008

Additional toxicological	(Contd. of page
information:	The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant
Ecological information	
Ecotoxical effects:	
Acquatic toxicity:	
68424-85-1 N-Alkyl - (C12-16) -	N-benzyl - N,N - dimethyl ammonium chlorid
IC50 / 72h 0.02 mg/l (selenastrur	n capricornutum)
EC50 / 48h 0.016 mg/l (daphnia)	
LC50 / 96h 0.85 mg/l (Oncorhync	chus mykiss (Regenbogenforelle))
Remark:	Very toxic for fish
Behaviour in sewage processing p	plants:
68424-85-1 N-Alkyl - (C12-16) -	N-benzyl - N,N - dimethyl ammonium chlorid
EC10 4 mg/l (activated sludge org	ganism)
General notes:	The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergented Data to support this assertion are held at the disposal of the competent authorities the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer. Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.
Disposal considerations	
Product:	
Recommendation	Must not be disposed together with household garbage. Do not allow product to read sewage system.
European waste catalogue	
07 06 01 aqueous washing liquids	and mother liquors
15 01 10 packaging containing res	sidues of or contaminated by dangerous substances
F	



Page 6/7

Safety Data Sheet according to 1907/2006/EC, Article 31

Printing date 19.02.2008

Revision: 18.02.2008

(Contd. of page 5)

Trade name: 6606 Osmo Gard Clean

Land transport ADR/RID (ci	ross-border)
ADR/RID class:	9 Miscellaneous dangerous substances and articles.
Danger code (Kemler):	90
UN-Number:	3082
Packaging group:	III
Hazard label:	9
Description of goods:	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid)
Maritime transport IMDG:	
IMDG Class:	9
UN Number:	3082
Marine pollutant:	No
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N-Alk (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid)
Air transport ICAO-TI and L	ATA-DGR:
ICAO/IATA Class:	9
UN/ID Number:	3082
Label	9
Packaging group:	III
Proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (N-Alk (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid)
Regulatory information Labelling according to EU guidelines:	The product has been classified and marked in accordance with EU Directiv Ordinance on Hazardous Materials.
Labelling according to EU	*
Labelling according to EU guidelines:	*
Labelling according to EU guidelines: Code letter and hazard	Xi Irritant

(Contd. on page 7)



Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 19.02.2008

(Contd. of page 6) 29 Do not empty into drains. 46 If swallowed, seek medical advice immediately and show this container or label. 51 Use only in well-ventilated areas. 61 Avoid release to the environment. Refer to special instructions/safety data sheets. Special labelling of certain preparations: Safety data sheet available for professional user on request. To avoid risks for humans and environment obtain instructions. National regulations: Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information This information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department Contact: Hr. Dr. Starn	Trade name: 6606 Osmo Gard Clean	
46 If swallowed, seek medical advice immediately and show this container or label. 51 Use only in well-ventilated areas. 61 Avoid release to the environment. Refer to special instructions/safety data sheets. Special labelling of certain preparations: Safety data sheet available for professional user on request. To avoid risks for humans and environment obtain instructions. National regulations: Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 0 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information 95.0 g/kg Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department		(Contd. of page 6)
51 Use only in well-ventilated areas. 61 Avoid release to the environment. Refer to special instructions/safety data sheets. Special labelling of certain preparations: Safety data sheet available for professional user on request. To avoid risks for humans and environment obtain instructions. National regulations: Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department		
61 Avoid release to the environment. Refer to special instructions/safety data sheets. Special labelling of certain preparations: Safety data sheet available for professional user on request. To avoid risks for humans and environment obtain instructions. National regulations: Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg Jog 20 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2 / 2		46 If swallowed, seek medical advice immediately and show this container or label.
Special labelling of certain preparations: Safety data sheet available for professional user on request. To avoid risks for humans and environment obtain instructions. National regulations: Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information PS.0 g/kg Is information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department		51 Use only in well-ventilated areas.
preparations: Safety data sheet available for professional user on request. To avoid risks for humans and environment obtain instructions. National regulations: Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 36/38 Irritating to eyes and skin. 50 Very toxic to aquatic organisms. product safety department		61 Avoid release to the environment. Refer to special instructions/safety data sheets.
To avoid risks for humans and environment obtain instructions. National regulations: Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department	Special labelling of certain	
National regulations: Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department	preparations:	Safety data sheet available for professional user on request.
Marking in accordance with biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department		To avoid risks for humans and environment obtain instructions.
biocide guideline 98/8/EG Use biocides safely. Always read the label and product information before use. 68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg If Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department	National regulations:	
68424-85-1 N-Alkyl - (C12-16) - N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg 16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department	Marking in accordance with	
16 Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. Department issuing MSDS:	biocide guideline 98/8/EG	Use biocides safely. Always read the label and product information before use.
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. product safety department product safety department	68424-85-1 N-Alkyl - (C12-16) -	N-benzyl - N,N - dimethyl ammonium chlorid 95.0 g/kg
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. product safety department product safety department		
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 50 Very toxic to aquatic organisms. product safety department product safety department	16 Other information	
features and shall not establish a legally valid contractual relationship. Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department	· ·	energy the sub-day. However, this shall not exactive to a superstant for energy if a ner dust
Relevant R-phrases 21/22 Harmful in contact with skin and if swallowed. 34 Causes burns. 36/38 Irritating to eyes and skin. 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department		
34 Causes burns. 36/38 Irritating to eyes and skin. 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department	leatures and shall not establish a l	egany vand contractual relationship.
36/38 Irritating to eyes and skin. 50 Very toxic to aquatic organisms. Department issuing MSDS: product safety department	Relevant R-phrases	21/22 Harmful in contact with skin and if swallowed.
50Very toxic to aquatic organisms.Department issuing MSDS:product safety department		34 Causes burns.
Department issuing MSDS: product safety department		36/38 Irritating to eyes and skin.
		50 Very toxic to aquatic organisms.
Contact: Hr. Dr. Starp	Department issuing MSDS:	product safety department
	Contact:	Hr. Dr. Starp